


datavideo

Teleprompter Range

datavideo

	TP-300	TP-500	TP-650 MKII	TP-700	TP-800	TP-900
						
Product Name	Tablet Prompter (Wide Variety)	DSLR Prompter	ENG Camera Prompter	ENG Camera Prompter	Conference Prompter	PTZ Camera Prompter
Supported Tablet Size	Min. Tablet Width: 110mm* Max. Tablet Width: 210mm*	Min. Tablet Width: 110mm Max. Tablet Width: 210mm	Min. Tablet Width: 145mm Max. Tablet Width: 265mm	NA	NA	NA
Hood Dimension / Prompter Size	Width: 250mm Height: 210mm Depth: 447mm	Width: 270mm Height: 210mm Depth: 460mm	Width: 415mm Height: 290mm Depth: 750mm	TBC	Width: 410mm Height: 2000mm Depth: 430mm	TBC
Glass	60/40	60/40	60/40	70/30	50/50	70/30
Screen Size	NA	NA	NA	15"	15"	15"
Screen Brightness	NA	NA	NA	350 NIT	350 NIT	350 NIT
LCD Native Resolution	NA	NA	NA	1024x768	1024x768	1024x768
Application	dvPrompter Plus for iOS and Andro	dvPrompter Plus for iOS and Android	dvPrompter Plus for iOS and Android	dvPrompter Plus built in	dvPrompter Plus built in	dvPrompter Plus built in
HDMI OUT	NA	NA	NA	Yes	Yes	Yes
HDMI IN	NA	NA	NA	Yes	Yes	Yes
Talent Monitor	No	No	No	Yes VESA 75 and 100 mount	No	No
Application Language	English Dutch Spanish Portuguese Russian Chinese(Traditional) Chinese (Simplified)					
Control Options	Web Interface, WR-500 Bluetooth or Wired	Web Interface, WR-500 Bluetooth or Wired	Web Interface, WR-500 Bluetooth or Wired	Web Interface, WR-500 Wired, FS-30 Foot Pedal, Generic Presentation Remotes	Web Interface, WR-500 Wired, FS-30 Foot Pedal, Generic Presentation Remotes	Web Interface, WR-500 Wired, FS-30 Foot Pedal, Generic Presentation Remotes
Weight (Net)	1.9 Kg	1.3 Kg	3.3 Kg	7.8Kg	TBC	TBC
Power	NA	NA	NA	12V DC (Mains adapter supplied) V-Lock Battery	12V DC (Mains adapter supplied) V-Lock Battery	12V DC (Mains adapter supplied)

TP-300 Tablet Prompter

For Mid-sized Cameras and Camcorders

TP-300 is ideal for a video studio setting and features an adaptable mounting bracket that can be adjusted to fit any sized tablet up to 11.6”.

TP-300 works best with handheld camcorders.

- Controllable over Wifi
- Optional Bluetooth / Wired remote available



datavideo

TP-500 DSLR Prompter

For DSLR Cameras and Camcorders

TP-500 is designed for use with DSLR cameras. It is ideal to use for webcasts, filming Youtube videos, and on-the-field productions. TP-500 houses any tablet with a minimum width of 110mm and maximum of 210mm measured in portrait orientation. A regular 10" iPad or Android tablet work best.

- Controllable over Wifi
- Optional Bluetooth / Wired remote available



TP-650 MKII ENG Camera Prompter

For Large ENG Cameras

The TP-650 is designed to accommodate larger tablet computers including the 12.9" iPad Pro to give user a great visual experience while using prompter. The teleprompter houses any tablet with a minimum width of 145mm and maximum of 265mm measured in portrait orientation.

- Controllable over Wifi
- Optional Bluetooth / Wired remote available



datavideo

TP-800 Conference Prompter

TP-800 is designed for presentations and conferences, where you want the speaker to have the flexibility to move around on stage and not just be limited to looking at one camera.

TP-800 features a bright 15" LCD screen with dvPrompter Plus app built-in. There is no need to run software on a laptop. Everything fits into a hard carry case for safe transport.

- V-Lock or mains powered
- HDMI input and HDMI output can be used to connect multiple TP-800s together, synchronisation over Ethernet is also possible.
- The HDMI output can also be used to drive external displays
- Fully controllable via Ethernet
- An optional wired remote control and foot pedal is available
- Can also be controlled using standard wireless presentation remotes




TP-900 PTZ Prompter

The TP-900 teleprompter is designed specifically for PTZ cameras. Mounting the PTZ upside down removes the operational limitations of a PTZ camera within a prompter, the PTZ has greater movement in the shots it can achieve.

TP-900 features a bright 15" LCD screen with dvPrompter Plus app built-in. There is no need to run software on a laptop. Using a prompter with a PTZ camera no longer requires expensive tripods, the TP-900 can be mounted on a light stand.

- V-Lock or mains powered
- HDMI input and HDMI output can be used to connect multiple TP-900s together, synchronisation over Ethernet is also possible.
- The HDMI output can also be used to drive external displays
- Fully controllable via Ethernet
- An optional wired remote control and foot pedal is available
- Can also be controlled using standard wireless presentation remotes



TP-700 ENG Prompter

ENG studio teleprompter with extra large trapezoid glass. TP-700 features a bright 15" LCD screen with dvPrompter Plus app built-in. There is no need to run software on a laptop.

- Can be powered by the mains or a V-Lock battery
- HDMI input and HDMI output can be used to connect multiple TP-700s together
- The HDMI input also allows the built-in tablet to be used as a HDMI monitor with third party software if required
- Fully controllable via Ethernet
- Supports up to 19" talent monitor on the front, VESA 75 and 100 mounts
- An optional wired remote control and foot pedal is available
- Can also be controlled using standard wireless presentation remotes



Hardware Controllers

		iPad and iPhone	Android Phones and Tablets	TP-700	TP-800	TP-900
WR-500 Wired		Y*	Y*	Y	Y	Y
WR-500 Bluetooth		Y**	Y**	N	N	N
Generic Presentation Clickers		N	N	Y	Y	Y
WR-30 Foot Pedal		N	N	Y	Y	Y

*Device must have a 3.5mm TRRS input or 3.5mm TRRS adapter

**Device must support Bluetooth 4

Powered by dvPrompter Plus



The dvPrompter Plus is a full function teleprompter scripting application that can be used with the Datavideo WR-500 wired

/ wireless remote controller and the affordable on or off camera Datavideo mounting systems. (Tablet/Laptop not included).

The dvPrompter Plus in-app purchase unlocks additional features to control, create and edit scripts over a local network from any device using with a web browser. In addition, you can synchronize playback of multiple tablets, edit scripts in real time and import slides from PowerPoint™ or Keynote™. The full featured dvPrompter App is included in the TP-700, TP-800 and TP-900 systems with built-in tablet, screen and networking capabilities.



Remote monitoring via WiFi or Ethernet

Control and monitor the prompter over a local network using any device with a modern web browser.




Powerful rich text editor

You can remotely change the font size, type, colour and justification on a per script basis and even use multiple different fonts within a single script. The editor also has support for embedding images and creating playlists from multiple scripts



Synchronise multiple tablets via IP

Connect multiple teleprompters together using our unique IP synchronisation over Ethernet or WiFi.



Supports PowerPoint and Keynote slides




In addition to text-based scripts you can now import your Powerpoint or Keynote presentation slides via the web interface, slides can be controlled using the hardware WR-500 control or the web based remote control interface.

dvPrompter Plus supports seamlessly switching between text-based scripts and slides, you can even add slides and text-based scripts to a playlist.

dvPrompter Plus supports mirroring slides in real time so your content is the right way around even when viewed via the mirror glass

Real Time Editing



Interrupt live broadcasts with breaking news or urgent updates, simply modify the script via the web interface and watch it update in real time.

Hard Carry Cases

HC-650

Hard Case for TP-650



HC-500

Hard Case for TP-500



HC-300

Hard Case for TP-300



Thank you

Any questions?